

SYSTEM CONFIGURATION EXAMPLE




FIG. 2
CONFIGURATION EXAMPLE OF CLIENT AND SERVER





FIG. 3
COMMUNICATION DATA FORMAT






FIG. 4
COMMUNICATION DATA EXAMPLE

<REQUEST DATA STREAM>

REQUEST	SUBMIT	EXTERNALID	JOB INFORMATION
401	402	403	404
REQUEST	GETID	EXTERNALID	
405	406	407	
REQUEST	SHOW	JOBID	
408	409	410	

⟨RESPONSE DATA STREAM⟩

RESPONSE	SUBMIT	JOBID	
411	412	413	
RESPONSE	GETID	JOBID	
414	415	416	
RESPONSE	SHOW	STATUS	JOB INFORMATION
417	418	419	420

FIG. 5




FIG. 6




FIG. 7




FIG. 8

DISPLAY EXAMPLE OF JOB STATUS

JOB ID	JOB NAME	STATUS	EXTERNALID
0000001	Job program A	Waiting	HostA0000001
00000002	Job program B	Executing	HostB0000001
00000003	Job program A	Holding	HostA00000002
0000004	Job program A	Waiting	HostA0000003
00000005	Job program B	Waiting	HostB00000002
00000006 } 801	Job program C 802	Executing 2 803	HostC0000001 } 804
		: : :	

FIG. 9

APPLICATION EXAMPLE OF ELECTRONIC COMMERCE SYSTEM

